TOTAL WEIGHING SOLUTION™

ER PLUS SERIES | Price Computing Scale

SPECIFICATIONS

Model	ER PLUS SERIES		
Max.capacity (kg)	3/6	6/15	15/30
Readability (g)	1/2	2/5	5/10
Maximum tare (kg)	-2.999	-5.998	-14.995
Internal resolution	1/60,000		
External resoultion	1/3,000 (Dual Interval)		
Display digit	ER PLUS : 5/6/6 (weight/unit price/total price) ER PLUS -M : 6/6/8 (weight/unit price/total price)		
Display type	ER PLUS : LCD / VFD / LED ER PLUS -M : LCD / LED		
Operation temperature	-10℃ ~ 40℃		
Power	ER PLUS : Rechargeable battery, 12V DC adapter ER PLUS -M : 12V DC adapter, Pb battery 6V 4Ah/20hrs		
Battery life	ER PLUS : 200hrs(LCD)/ 45hrs(LED)/ 6hrs(VFD), ER PLUS -M : 10hrs, Appox.40hrs		
Platter size (mm)	304(W) x 220(D)		
Dimensions (mm)	ER PLUS : 330(W) x 346(D) x 107(H) ER PLUS -M : 330(W) x 384(D) x 413(H)		
Product weight (kg)	ER PLUS : 4.5 ER PLUS -M : 5.5		

FEATURES

- Direct 41 direct PLUs (ER PLUS -M)
- Apply 5 direct PLUs with 200 indirect PLUs
  *PLU (Price-Look-Up) function: Preset keys for frequent transaction items and its price. It makes your business operation more convenient
- Soft touch tact switch with silicon rubber key pad
- Adopted dual interval technology for better accuracy
- Various type of displays (LCD, LED, VFD)
- Calculation function
- Rechargeable battery operation
- Daily total function
- Auto power-off function
- Adjustable weighing stability

OPTION

- Client view pole display
- Backlight (LCD only)
- Rechargeable battery (VFD only)
- RS-232C interface (Connection with PC or Pinters)
- DLP-50 / DEP-50
- Dust protection cover
- Large tray or Fish tray
- Dry battery holder (ER PLUS -M)

DIMENSIONS

ER PLUS

Unit : mm



ER PLUS -M



CAS BLDG., # 440-1, SUNGNAE-DONG,
GANGDONG-GU, SEOUL, KOREA
TEL_ 82 2 2225 3500
FAX_ 82 2 475 4668
http://www.globalcas.com

Specifications are subject to change for improvement without prior notice.

RETAIL WEIGHING SOLUTION™

Dual interval technology

Client view pole display

Soft touch key pad

ER PLUS SERIES

Price Computing Scale

ER PLUS is the best choice to make your business more attractive and cost effective with variety of flexible applications.

- Label or ticket printer combination
- RS-232C interface

CAS

ER PLUS SERIES

Various type of display (LCD, LED, VFD)

The users can choose one among LCD, LED, VFD regarding to user's business environment.

LCD

LED

VFD

▲ Client view pole display

Dual interval technology with high resolution

ER^{PLUS} series have 1/3,000 high resolution and adopts dual interval technology, which allows that scale weighing interval is automatically changed when certain amount of weight is loaded on tray.

Double tray type

The scale is designed with a plastic and stainless steel tray made of heavy-duty and washable material.

Soft touch tact switch key pad

The key pad can be protected from water, flour, dirt and every other external agent.

Direct PLU 41 keys (ER^{PLUS}-M)

These PLU keys are writeable, editable and easy to press..

Rechargeable battery operation

The scale can be used up to 200hrs(LCD) / 45hrs(LED) / 6hrs(VFD) after recharging the battery for 10 hours.



8 digit total display window (ER^{PLUS}-M)

It indicates total price up to 8 digits.

Price Computing Scale

Connection with barcode label or ticket printer

ER^{PLUS} series can be connected to DLP-50 (Label) and DEP-50 (Ticket) printer via RS-232C interface. It can be used as a label/ticket printing scales. Furthermore, the users can be possible to modify the label/ticket format via provided label/ticket editing PC software



The label format shows commodity name, item's date (packed on data & sell by data), weight, total price, unit price and message.



◀ RS-232C interface



◀ Label / Ticket Print

LINE UP

▲ ER^{PLUS} (Large tray)

▲ ER^{PLUS} (Fish tray)

▲ ER^{PLUS} -M (LED)

▲ ER^{PLUS} -M (LCD)

▲ ER-P